

FREE

UPDATES



Plugin for



Updates Plugin for HomeSeer HS4 Manual

Introduction

Thank you for using the Updates Plugin for HS4! This plugin can be used to create (feature) devices with information about the version of HS4 and plugins. You can use these features to create events to, for example, inform you about updates or even (re)install a plugin's latest version if you're brave.

This is my fifth plugin for HS4. My other plugins are the MiLight Plugin, OpenTherm Gateway (OTGW) Plugin, Volvo Plugin and Horizon Remote Plugin. My main motivation to develop these plugins is to get better and better at C# development, and because I want the functionality for my own system.

I have tested this plugin thoroughly, but if you find bugs anyway, please let me know.

Bernold

Requirements

To use this plugin, you will need the following:

- HomeSeer HS4.
- Optionally, plugins.
- Optionally, Zigbee2MQTT.
- Optionally, Node-RED and its modules, and Node.js®.

Installation/Configuration

1. Install and activate the plugin like any other plugin. If you're new to HS4, here is how:
 - Go to your HomeSeer *Web Control page*.
 - Use the *Plugin* dropdown and choose *Add*.
 - Use the (2nd) Search bar, or scroll to *Updates Plugin*.
 - Choose *Install*.
 - In *Plugins > Installed* use the toggle to turn on the plugin.
2. Configure:
 - Go to *Plugins > Updates Plugin > Settings*.
 - Follow the steps:
 - Choose *Continue* at the introduction step.
 - Put a checkmark behind every HS4 setting you wish to get features for. Choose *Continue*.
 - Put a checkmark behind every plugin setting you wish to get features for. Choose *Continue*.
 - If you want your Zigbee2MQTT, fill in its IP and Port. If you have your Zigbee2MQTT protected with an admin password, fill in your *auth_token* as well. Then put a checkmark behind every Zigbee2MQTT setting you wish to get features for. Choose *Continue*.
 - If you want your Node-RED checked, fill in its full URL (the same as you use to view it in a browser, for example: *http://192.168.1.2:1880*). Then put a checkmark behind every Node-RED/modules/Node.js® setting you wish to get features for. Choose *Continue*.
 - For deCONZ version checking, put a checkmark behind every deCONZ setting you wish to get features for. Please note you will also have to complete the deCONZ Add/Remove setup page, for the plugin to get the URL and API key. Choose *Continue*.

For Z-Wave JS version checking, fill in its full URL (the same as you use to view it in a browser, for example: <http://192.168.1.2:8091>). Then put a checkmark behind every Z-Wave JS UI/Driver/Server setting you wish to get features for. Choose *Continue*.

- If you wish to get a summary feature, put a checkmark at the first box. Then put a checkmark behind every summary setting you wish to see in the summary. Choose *Continue*.
- Pick the update frequency for automatic polling. Choose *Save*.

Noteworthy

- It may take a while (a few seconds to a minute) before all features are created and will show up on the device page. This is mostly because of Updater data being loaded. If for some reason the data can not be loaded (bad internet connection, server down, etc.) the plugin will not keep retrying right away, but at next polling.
- All non-secure (http://) URLs from HomeSeer get converted to https://
- When you add a plugin, features with its information will be created at next polling.
- Plugins that are not in the Updater will not get any feature.
- You may want to hide features that are of no use to you. Do not delete features. Also, you may want to restrict access to certain features for certain users for safety/security reasons. You can do this by clicking on each feature and under *User Access* remove the *Any* checkmark, chose your (admin) account(s) instead and *Save*.
- Z-Wave JS version checking only becomes available if you have answered the changelog dialog (whether or not you want changelogs to show on the UI at each update). As you may have installed unattended (for example with the Z-Wave Plus plugin), this may have never been answered. In this case the plugin will do it for you by telling Z-Wave JS UI to not disable changelogs and then retry to get the versions again. If you want changelog dialogs to be disabled instead, go to your Z-Wave JS UI > *Settings* tab > *General* > set checkmark at *Disable Changelogs*.

Add/Remove deCONZ

To add deCONZ to your settings, a dedicated page is available, since an API key needs to be negotiated. This is a dynamic page. If no deCONZ configuration is present, you can add it. If it is present, you can remove it.

To add deConz:

- Go to *Plugins > Updates Plugin > Add/Remove deCONZ*.
- Follow the steps:
 - Choose *Continue* at the introduction step.
 - Fill in the full URL to your deCONZ (Phoscon) setup. Choose *Continue*.
 - Make sure to use the *Authenticate App* button in Phoscon and then choose *Continue* within 60 seconds. An API key will be negotiated and saved.

To remove deConz:

- Go to *Plugins > Updates Plugin > Add/Remove deCONZ*.
- Follow the steps:
 - Choose *Continue* at the introduction step.
 - If you want deCONZ at the mentioned URL removed, choose *Continue*.
 - Confirm that you want to have the URL and API key removed from both the *Updates Plugin* settings and your deCONZ (Phoscon), by choosing *Continue*.

Devices and Features

Depending on your settings and the amount of plugins you have installed, quite some features could be created. Here is an overview:

Updates Plugin

This is the main (root) device.

Buttons

This feature currently only has a few buttons:

- *Poll Now*, for manual polling. Please note that excessive manual polling can cause a rate limit to kick in for the GitHub API, which is used to check available versions for Zigbee2MQTT, Node-RED and its Node.js®, deCONZ, Z-Wave JS UI, Z-Wave JS Driver and Z-Wave JS Server.
- *Clean Up*, to clean up features of plugins and Node-RED modules that are no longer installed (This is also done automatically when this plugin starts).

Summary feature

This feature's string gives you a summary HS4 and the installed plugins, their currently installed version, their available release version and available beta version between round brackets. Whether HS4 is included can be configured and including beta versions is also optional. The string format is the same as for the pluginfunction GetSummary.

Example string:

```
HS4 4.2.17.0 (4.2.18.5), MiLight 1.0.2.0 (1.0.4.0), OpenTherm Gateway  
1.0.5.0 (1.0.5.0), Somfy Local 1.0.3.0 (1.0.3.0), Updates 1.0.1.2 (1.0.1.0,  
BETA 1.0.1.2), Volvo 1.0.7.0 (1.0.6.0)
```

Updates Plugin HS4

This is the (root) device for features containing info about HS4 updates.

HS4 Installed Version

This is the version of HS4 that is currently installed on your system.

HS4 Installed Version Download URL

This is the generated download URL for the currently installed version of HS4. Just in case you need to download it, or want to backup.

HS4 Installed Version Release Notes URL

This is the generated URL to the release notes of the currently installed version of HS4.

HS4 Latest Release Version Windows/Linux

This is the version of the latest release of HS4.

HS4 Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data)
- Newer than Release Installed (in case you are running a newer (beta) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

HS4 Latest Release Release Notes URL

This is the URL to the release notes of the latest available release version of HS4.

HS4 Latest Release Download URL Windows/Linux

This is the URL for the download of the latest available release version of HS4.

HS4 Latest Beta Version Windows/Linux

This is the version of the latest beta of HS4.

HS4 Beta Version Comparison

This is a comparison of the currently installed version and the latest beta version. Status are:

- N/A (in case of no data)
- Newer than Beta Installed (in case you are running a newer (release) version)
- Newer Beta Available (in case there is a newer beta version available)
- Latest Beta Installed (in case the available and installed version are equal)

HS4 Latest Beta Release Notes URL

This is the URL to the release notes of the latest available beta version of HS4.

HS4 Latest Beta Download URL Windows/Linux

This is the URL for the download of the latest available beta version of HS4.

Please note that HS4 related features are removed when:

- You uncheck a matching setting.

So be careful, because this may break events with these features.

Updates Plugin Plugins

This is the (root) device for features containing info about Plugin updates.

Plugin <name> Enabling

Lets you Enable, Disable or Toggle the corresponding plugin with its buttons.

The feature for the Updates Plugin only provides Disable, which should be used with care.

Plugin <name> Installed Version

The currently installed version of the plugin.

Plugin <name> Installed Version Download URL

This is the generated download URL for the currently installed version of the plugin. Just in case you need to download it, or want to backup. Note that the developer may have deleted it if there is a newer version, or if it has been removed from the updater for another reason.

Plugin <name> Latest Release Version

This is the version of the latest release of the plugin.

Plugin <name> Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data)
- Newer than Release Installed (in case you are running a newer (beta) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Plugin <name> Release Release Notes URL

This is the URL to the release notes of the release version(s) of the plugin.

Plugin <name> Release Download URL

This is the URL for the download of the latest available release version of the plugin.

Plugin <name> Latest Beta Version

This is the version of the latest beta of the plugin.

Plugin <name> Beta Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data)
- Newer than Beta Installed (in case you are running a newer (release) version)
- Newer Beta Available (in case there is a newer beta version available)
- Latest Beta Installed (in case the available and installed version are equal)

Plugin <name> Beta Release Notes URL

This is the URL to the release notes of the beta version(s) of the plugin.

Plugin <name> Beta Download URL

This is the URL for the download of the latest available beta version of the plugin.

Plugin Brand New Feature

This feature will show brand new HS4 plugin(s) that have been added to the updater. If there is no new plugin since polling previously, the string will be set to "N/A". So if you want to be notified about potential useful plugin(s), you can trigger on this feature to change and then include its string in an email, or push message.

Please note that Plugin related features are removed when:

- When you use the Clean Up button, if you uninstalled a plugin that was previously added (this will also remove the image icon).
- At plugin startup, when the Clean Up function runs automatically.
- You uncheck a matching setting.

So please be careful, because this may break events with these features.

Updates Plugin Zigbee2MQTT

This is the (root) device for features containing info about Zigbee2MQTT updates.

Zigbee2MQTT Installed Version

The currently installed version of Zigbee2MQTT.

Zigbee2MQTT Installed Version Release Notes URL

This is the URL to the release notes of the installed version of Zigbee2MQTT.

Zigbee2MQTT Available Version

This is the latest available version of Zigbee2MQTT.

Zigbee2MQTT Available Version Release Notes URL

This is the URL to the release notes of the latest available version of Zigbee2MQTT.

Zigbee2MQTT Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Please note that Zigbee2MQTT related features are removed when:

- When you use the Clean Up button, if you uninstalled something that was previously added.
- At plugin startup, when the Clean Up function runs automatically.
- You uncheck a matching setting.

So be careful, because this may break events with these features.

Updates Plugin Node-RED

This is the (root) device for features containing info about Node-Red updates.

Node-RED Installed Version

The currently installed version of Node-RED.

Node-RED Installed Version Release Notes URL

This is the URL to the release notes of the installed version of Node-RED.

Node-Red Available Version

This is the latest available version of Node-RED.

Node-Red Available Version Release Notes URL

This is the URL to the release notes of the latest available version of Node-RED.

Node-Red Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Node.js® Installed Version

The currently installed version of Node.js®. Please note that this info comes from Node-RED. It's not available if you aren't running Node-RED and/or haven't configured the plugin for it.

Node.js® Installed Version Release Notes URL

This is the URL to the release notes of the installed version of Node.js®.

Node.js® Available Version

This is the latest available version of Node.js®.

Node.js® Available Version Release Notes URL

This is the URL to the release notes of the latest available version of Node.js®.

Node.js® Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Module <name> Installed Version

The currently installed version of the Node-RED module, for example the module with name node-red-contrib-homeseeer.

Module <name> Available Version

This is the latest available version of the Node-RED module.

Module <name> Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Please note that the versions of modules are quite messy and to be able to compare versions without potentially crashing, the comparison is simplified to numbers separated by 2 or 3 dots only. So 1.0.0 = 1.0.0-rc.9 = 1.0.0-alpha.34 = 1.0.0-17472, 1.0.0-L, etc.

Please note that Node-RED related features are removed when:

- For modules: When you use the Clean Up button, if you uninstalled something that was previously added.
- At plugin startup, when the Clean Up function runs automatically.
- You uncheck a matching setting.

Updates Plugin deCONZ

This is the (root) device for features containing info about deCONZ updates.

deCONZ Installed Version

The currently installed version of deCONZ.

deCONZ Installed Version Release Notes URL

This is the URL to the release notes of the installed version of deCONZ.

deCONZ Latest Release Version

This is the latest available release version of deCONZ.

deCONZ Latest Release Release Notes URL

This is the URL to the release notes of the latest available release version of deCONZ.

deCONZ Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

deCONZ Latest Beta Version

This is the latest available release version of deCONZ.

deCONZ Latest Beta Release Notes URL

This is the URL to the release notes of the latest available beta version of deCONZ.

deCONZ Beta Version Comparison

This is a comparison of the currently installed version and the latest beta version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Please note that deCONZ related features are removed when:

- When you use the Clean Up button, if you uninstalled something that was previously added.
- At plugin startup, when the Clean Up function runs automatically.
- You uncheck a matching setting.

So please be careful, because this may break events with these features.

Updates Plugin Z-Wave JS

This is the (root) device for features containing info about Z-Wave JS UI/Driver/Server updates.

Z-Wave JS UI Installed Version

The currently installed version of Z-Wave JS UI.

Z-Wave JS UI Release Notes URL

This is the URL to the release notes of the installed version of Z-Wave JS UI.

Z-Wave JS UI Latest Release Version

This is the latest available release version of Z-Wave JS UI.

Z-Wave JS UI Latest Release Release Notes URL

This is the URL to the release notes of the latest available release version of Z-Wave JS UI.

Z-Wave JS UI Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Z-Wave JS Driver Installed Version

The currently installed version of Z-Wave JS Driver.

Z-Wave JS Driver Release Notes URL

This is the URL to the release notes of the installed version of Z-Wave JS Driver.

Z-Wave JS Driver Latest Release Version

This is the latest available release version of Z-Wave JS Driver.

Z-Wave JS Driver Latest Release Release Notes URL

This is the URL to the release notes of the latest available release version of Z-Wave JS Driver.

Z-Wave JS Driver Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Z-Wave JS Server Installed Version

The currently installed version of Z-Wave JS Server.

Z-Wave JS Server Release Notes URL

This is the URL to the release notes of the installed version of Z-Wave JS Server.

Z-Wave JS Server Latest Release Version

This is the latest available release version of Z-Wave JS Server.

Z-Wave JS Server Latest Release Release Notes URL

This is the URL to the release notes of the latest available release version of Z-Wave JS Server.

Z-Wave JS Server Release Version Comparison

This is a comparison of the currently installed version and the latest release version. Status are:

- N/A (in case of no data, possibly not running)
- Newer than Release Installed (in case you are running a newer (unofficial) version)
- Newer Release Available (in case there is a newer release version available)
- Latest Release Installed (in case the available and installed version are equal)

Please note that Z-Wave JS related features are removed when:

- When you use the Clean Up button, if you uninstalled something that was previously added.
- At plugin startup, when the Clean Up function runs automatically.
- You uncheck a matching setting.

So please be careful, because this may break events with these features.

Using the plugin without creating features

Event trigger

The plugin adds an event trigger that allows you to fire an action when either a new release version or a new beta version was released for HS4 or any of the plugins you have installed. Simply select the trigger, choose whether you want to trigger on a new release or new beta version (or both) and then select HS4 or a plugin. Optionally select "Any plugin" or "Any plugin or HS4". The trigger can only occur after polling (either automatically or manually).

Groups / Notifications / Send email when MiLight Plugin has a new release

IF

Trigger
Updates Plugin Update Trigger

There is a new release version for

Select HS4 or plugin
MiLight

THEN

Action
Send an Email

To

Summary string

To get a summary in scripts, GetSummary is available. It returns a string and can be used as follows:

```
hs.PluginFunction("Updates Plugin", "", "GetSummary", New Object() {true, true, false})
```

Or, for example:

```
hs.PluginFunction("Updates Plugin", "", "GetSummary", New Object() {true, true, true, true, true, true, true, true, true})
```


Parameters

1	ShowHS4	bool	Include HS4 (true) in the summary or not (false)
2	ShowBeta	bool	Include beta versions in the summary (true) or not (false)
3	ShowOnlyUpdates	bool	Include only items that have updates available (true), or all (false)
4	ShowZ2M	bool	Include Zigbee2MQTT in the summary (true) or not (false)
5	ShowNR	bool	Include Node-RED in the summary (true) or not (false)
6	ShowNJS	bool	Include Node.js® in the summary (true) or not (false)
7	ShowNRHS	bool	Include node-red-contrib-homeseer in the summary (true) or not (false)
8	ShowNRModules	bool	Include other Node-RED modules (true) or not (false)
9	ShowDC	bool	Include deCONZ in the summary (true) or not (false)
10	ShowZWJSUI	bool	Include Z-Wave JS UI in the summary (true) or not (false)
11	ShowZWJSDriver	bool	Include Z-Wave JS Driver in the summary (true) or not (false)
12	ShowZWJSServer	bool	Include Z-Wave JS Server in the summary (true) or not (false)

The number of parameters that are accepted as valid can be: 2, 3, 4, 5, 6, 7, 8, 9, 12

Poll event Action and PluginFunction

If you have set polling frequency to never, or for some reason you want to poll manually at a different interval, you can either use the Poll event action, or its PluginFunction (no parameters) for scripts.



The screenshot shows a Node-RED script editor interface. At the top, there is a breadcrumb trail: "Groups / Blue Moon / Once every". To the right of this are icons for edit, copy, check, paste, delete, and refresh. Below this is a red bar labeled "IF". Underneath, a light blue bar contains the text "The time is sunrise. (06:11:35)" and icons for edit and add. Below that is a grey bar labeled "THEN". Underneath, a light green bar contains the text "Action" and "Updates Plugin Action - Poll" with a dropdown arrow, and icons for save, check, delete, and add. At the bottom right of the green bar is a blue button labeled "ADVANCED OPTIONS".

```
hs.PluginFunction("Updates Plugin", "", "Poll", {})
```

Please note that excessive manual polling can cause a rate limit to kick in for the GitHub API, which is used to check available versions for Zigbee2MQTT, Node-RED and its Node.js®, deCONZ, Z-Wave JS UI, Z-Wave JS Driver and Z-Wave JS Server.

CleanUp PluginFunction

Calling PluginFunction CleanUp (no parameters) will remove all features of uninstalled plugins and Node-RED modules (same as the Clean Up button on the main device).

```
hs.PluginFunction("Updates Plugin", "", "CleanUp", {})
```

Uninstall: Completely removing

If you decide that the plugin is not for you, that's too bad. But here is how to delete every last byte of it, because just uninstalling usually leaves files for any plugin.

1. Uninstall the plugin.
2. Remove its devices and features, for example by enabling Bulk Edit, selecting all relevant devices/features, choosing Bulk Action > Delete and confirming it.
3. Manually delete these files and folders:
 - From the Config folder: UpdatesPlugin.ini and UpdatesPlugin.ini.bak
 - From the html > images folder: folder UpdatesPlugin and its files
 - From the Docs folder > Updates Plugin for HomeSeer HS4 manual.pdf (this file)

Donate

This plugin was always meant to be free. Though it took more time to develop than planned, mainly because of reverse-engineering and things not working as documented.

If you are willing to donate to me anyway I'm asking you to buy one of my my paid plugins: [MiLight \(LimitlessLED\)](#), or [Somfy Local Plugin](#). That way HomeSeer will get their share too, which I think is fair.

Thank you for your support.

Support

If you have a question about this plugin or want to report a bug, please use the dedicated sub-forum on <https://forums.homeseer.com/>

Changelog

Version	Remark
1.0.9.0/ 1.0.10.0	Added version checking for Z-Wave JS, expanded summary and trigger accordingly. Improved creation of main device. Improved automatic (un)checking of settings that contradict. Removes typo from settings file.
1.0.8.0	HS4 Installed Versions Release Notes URL is now looked up, not hardcoded anymore. Fixed plugin crashing when both the legacy and HS4 plugin are installed with the same name. Now writes warning to Log once. Fixed plugin crashing when triggers are checked just after removing a plugin, also optimized trigger code. Fixed features Summary and Brand New Plugin not showing up when deConz is configured to be skipped entirely. Plugin no longer polls without being configured first. Optimized Installed HS4 version processing. Added log messages after saving settings.
1.0.7.0	Added deCONZ version checking. Added subtrigger options Any Node-RED module, Any Node-RED module or Node-RED, Any item. Added settings options to skip Zigbee2MQTT and/or Node-RED entirely. Added automatic (un)checking in Settings page for contradicting settings. Improved event trigger texts.
1.0.6.0	Added Zigbee2MQTT version checking. Added Node-RED version checking (includes modules and Node.js®).

	<p>Added PluginFunction CleanUp to remove features of uninstalled plugins (same as Clean Up button).</p> <p>Extended CleanUp to remove features of uninstalled Node-RED modules.</p> <p>Extended summary with new Zigbee2MQTT and Node-RED items.</p> <p>Added summary setting to only show updated items.</p> <p>Organized existing features into separate devices for HS4 and Plugins.</p> <p>Better handling of main device, to use the plugin without devices/features.</p> <p>Less reloading of settings (less disk activity, faster).</p> <p>Renamed Install buttons to (Re)Install.</p>
1.0.5.0	<p>Fixed letting event trigger save when it's not fully configured.</p> <p>Added manual polling only as a setting.</p> <p>Added Poll as PluginFunction for scripts.</p> <p>Added Poll as event action.</p> <p>Optimized code.</p>
1.0.4.0	<p>Removed redundant debug message.</p> <p>Optimized code.</p> <p>Fixed only enabled triggers firing.</p> <p>Added options to trigger: Any plugin, Any plugin or HS4.</p> <p>Added subtrigger: There is a new release OR beta version for.</p> <p>Added parameter ShowOnlyUpdates to PluginFunction GetSummary.</p> <p>Added buttons for enabling/disabling/toggling plugins, added setting.</p>
1.0.3.0	<p>Added feature to announce brand new HS4 plugin(s)</p>
1.0.2.0	<p>Fixes version comparison when version in Updater is missing revision value (a.b.c instead of a.b.c.d).</p> <p>Added scripting PluginFunction GetSummary.</p> <p>Added summary feature and its settings.</p> <p>Added update trigger.</p>
1.0.1.0	<p>Fixed plugin crashing while trying to download non-existing plugin image icon (like with Legacy Netcam).</p> <p>Optimized/simplified internal Legacy/HS4 plugin determination.</p>
1.0.0.0	<p>Initial release.</p>